

NARVA®

EX2

DRIVING LIGHTS & LIGHT BARS



7

YEAR
WARRANTY



CUSTOM
TRIMS

DIY

HARNESS
FREE



DRIVING LIGHTS AND LIGHT BARS

The revolutionary new range takes Narva where it has never been before!

What sets this range apart?

- Easy installation for the DIY enthusiast
 - Segment leading performance
 - Unprecedented user customisation
 - 7 Year 'NO FAULT' warranty

The EX2 range is the most comprehensive range of driving lights and light bars on the market, covering **4 sizes of driving lights** (4", 6", 7" and 9") as well as **7 different sizes of light bars** (10", 20" and 30" **single row** and **double row**, and **double row 3" pod light**)





CONTENTS

EX2 Range	4
EXtra-Easy Installation	6
EX2 EXpress Yourself	7
EXceptional Performance	8
Built to EXplore	14
Number Plate Mounting Kit	15
EX2R Range	16
EX2R EXpress Yourself	18
EX2R RGB Bluetooth® Controller	20
EX2R Kits	22





The EX2 range combines Narva's legendary performance and reliability, with the added benefit of easy installation and user customisation, to make a truly unique range.

The range includes all sizes in single packs, as well as retail friendly kits for the 6", 7" and 9" driving lights.

All products in the range feature a hard coated polycarbonate lens for durability and long life. EX2 models come with stealth black lens protectors, while the EX2R models come with clear lens protectors.

Narva's new EX2 Light Bars are a versatile option for mounting on a roof, or on a bullbar (in place of a pair of driving lights).

72142	4" EX2 LED Driving Lamp	72830	10" EX2 LED Single Row Light Bar
72160	6" EX2 LED Driving Lamp	72833	10" EX2 LED Single Row Light Bar with Licence Plate Bracket
72162	6" EX2 LED Driving Lamp Pair	72838	20" EX2 LED Single Row Light Bar
72170	7" EX2 LED Driving Lamp	72846	30" EX2 LED Single Row Light Bar
72172	7" EX2 LED Driving Lamp Pair	72810	3" EX2 LED Double Row Pod Light
72180	9" EX2 LED Driving Lamp	72834	10" EX2 LED Double Row Light Bar
72182	9" EX2 LED Driving Lamp Pair	72842	20" EX2 LED Double Row Light Bar
		72850	30" EX2 LED Double Row Light Bar



4" Driving Light



6" Driving Light



7" Driving Light



9" Driving Light



3" Pod Light



10" Single Row Light Bar



10" Double Row Light Bar



20" Single Row Light Bar



20" Double Row Light Bar



30" Single Row Light Bar



30" Double Row Light Bar

Slate and Electric trims come standard with all EX2 & EX2R lights


EXTRA-EASY INSTALLATION

Installing driving lights and light bars can be a complicated and daunting task. However, the EX2 range contains Patent Pending internal switching technology to make installation and wiring easier than ever before.

No Driving Lights and Light Bars in the EX2 and EX2R range require a wiring harness. They are simply wired by patching into the high beam signal wire and fuse directly to the battery (to comply with ADR requirements).

All the necessary relays and switches are integrated into the lamps, eliminating the need to access the firewall for an internal switch.* This aligns with the updated ADR regulations, simplifying the installation process for most states.

However, it's essential that users check the specific requirements of their state/country before installing.



*For Negatively switched vehicles an extra relay is required



EXPRESS YOURSELF EX2 CUSTOMISATION

Front light aesthetics have become increasingly significant in the automotive world. The EX2 range offers effortless post-purchase customisation options to cater to individual preferences.

Within the EX2 range, the lamps feature easily interchangeable colour trims, requiring no tools for a fresh appearance. Every lamp and kit includes two colour choices: Signature Electric (Blue) and Slate (Grey).

If users desire more variety, Narva provides additional options with a selection of six extra colours. Just scan the QR code to receive a complimentary set of trims!



EXCEPTIONAL PERFORMANCE


EX2 DRIVING LIGHTS

EX2's hybrid light beam provides outstanding width and distance, without dark spots and hot spots, ensuring exceptional clarity in the dark.

EX2 4" LED Driving Lights

P/No: 72142 (Single)

- 4,520 Effective Lumens per pair
- Distance = 220m @ 1 Lux
- Width = 32m @ 1 Lux




Pair of 4" EX2

EX2 6" LED Driving Lights

P/No: 72160 (Single), 72162 (Pair)

- 9,200 Effective Lumens per pair
- Distance = 370m @ 1 Lux
- Width = 40m @ 1 Lux




Pair of 6" EX2

EX2 7" LED Driving Lights

P/No: 72170 (Single), 72172 (Pair)

- 12,000 Effective Lumens per pair
- Distance = 460m @ 1 Lux
- Width = 45m @ 1 Lux




Pair of 7" EX2

EX2 9" LED Driving Lights





P/No: 72180 (Single), 72182 (Pair)

- 19,400 Effective Lumens per pair
- Distance = 700m @ 1 Lux
- Width = 60m @ 1 Lux



Pair of 9" EX2

Note: The EX2 and EX2R range feature the same performance



P/No	Raw Lumens	Effective Lumens	LEDs	LED Power	Current Draw	Weight
72142	3,295Lm	2,260Lm	12	60W	2.5V @ 12V	650g ±10%
72160	6,000Lm	4,600Lm	24	120W	4.7A @ 13.5V	1390g ±10%
72170	8,160Lm	6,000Lm	24	120W	5.8V @ 13.5V	2000g ±10%
72180	13,600Lm	9,700Lm	40	200W	9.6A @ 13.5V	2000g ±10%

per lamp

Common Specifications

Input Voltage: 9-33V

Operating Temp: -40 ± 60°C

Colour Temp: 5700°K

EMC: ECE R10

IP Rating: IP68 & IP69K

CRI: 70

Beam Type: Hybrid

EXCEPTIONAL PERFORMANCE


EX2 SINGLE ROW LIGHT BARS

Superior optical and electrical design means the EX2 range of light bars are ultra efficient, providing a hybrid beam pattern with exceptional distance and width combined with a smooth pattern. The range is also slimline and extremely durable, making them the ideal light for a wide variety of applications including 4WDs, utes and even passenger cars. For versatile mounting, tube mount brackets are available to suit all popular bullbar sizes.

EX2 10" LED Single Row Light Bar

P/No: 72830

- 2,235 Effective Lumens
- Distance = 284m @ 1 Lux
- Width = 34m @ 1 Lux



EX2 20" LED Single Row Light Bar

P/No: 72838


- 5,890 Effective Lumens
- Distance = 413m @ 1 Lux
- Width = 50m @ 1 Lux



EX2 30" LED Single Row Light Bar


P/No: 72846

- 9,300 Effective Lumens
- Distance = 540m @ 1 Lux
- Width = 60m @ 1 Lux



Note: The EX2 and EX2R range feature the same performance

Note: The EX2 and EX2R range feature the same performance



P/No.	Raw Lumens	Effective Lumens	LEDs	LED Power	Current Draw	Weight
72830	2,720Lm	2,235Lm	8	40W	1.93A@13.5V	884g ±10%
72838	6,120Lm	5,890Lm	18	90W	4.4A@13.5V	1460g ±10%
72846	9,520Lm	9,300Lm	28	140W	7.1A@13.5V	2031g ±10%

Common Specifications

Input Voltage: 9-33V
 Operating Temp: $-40 \pm 60^{\circ}\text{C}$
 Colour Temp: 5700°K
 EMC: ECE R10
 IP Rating: IP68 & IP69K
 CRI: 70
 Beam Type: Hybrid

SINGLE ROW TUBE MOUNTS (OPTIONAL)

Durable extruded aluminium construction, black anodised



2" P/No. 72262 2.5" P/No. 72263 3" P/No. 72264

EXCEPTIONAL PERFORMANCE


EX2 DOUBLE ROW LIGHT BARS

Building on the single row range, the double row range features outstanding output without losing the evenness of the beam pattern.

EX2 3" Double Row LED Pod Light

P/No: 72810


- 1,025 Effective Lumens
- Distance = 195m @ 1 Lux
- Width = 16m @ 1 Lux



EX2 10" Double Row LED Light Bar

P/No: 72834


- 4,560 Effective Lumens
- Distance = 407m @ 1 Lux
- Width = 56m @ 1 Lux



EX2 20" Double Row LED Light Bar

P/No: 72842


- 9,780 Effective Lumens
- Distance = 638m @ 1 Lux
- Width = 86m @ 1 Lux




EX2 30" Double Row LED Light Bar

P/No: 72850

- 15,084 Effective Lumens
- Distance = 725m @ 1 Lux
- Width = 100m @ 1 Lux



Note: The EX2 and EX2R range feature the same performance



P/No.	Raw Lumens	Effective Lumens	LEDs	LED Power	Current Draw	Weight
72810	1,360Lm	1,025Lm	4	20W	1.11A@13.5V	1170g ±10%
72834	5,680Lm	4,560Lm	16	80W	3.7A@13.5V	1390g ±10%
72842	10,800Lm	9,780Lm	36	180W	7.2A@13.5V	2350g ±10%
72850	16,800Lm	15,084Lm	56	280W	11.1A @13.5V	3330g ±10%

Common Specifications

Input Voltage: 9-33V
 Operating Temp: $-40 \pm 60^{\circ}\text{C}$
 Colour Temp: 5700°K
 EMC: ECE R10
 IP Rating: IP68 & IP69K
 CRI: 70
 Beam Type: Hybrid

DOUBLE ROW TUBE MOUNTS (OPTIONAL)

Durable extruded aluminium construction, black anodised



2" P/No. 72266 2.5" P/No. 72267 3" P/No. 72268

BUILT TO EXPLORE

Long lasting style and performance are of the utmost importance! At Narva, we have left no stone unturned to ensure the EX2 lights don't just last, but thrive in tough conditions.

The EX2 and EX2R range feature:

Hard Coated Polycarbonate Lenses (EX2/EX2R) and Lens Protectors (EX2R)

- Hard coated lenses and lens protectors provide protection against UV rays, scratches, chips, and chemicals.
- Lenses and lens protectors will not yellow in the sun, chip or scratch from foreign objects, or perish due to car wash chemicals.

Die-Cast Aluminium Housing

- Engineered to ensure long lasting durability, even in challenging environmental conditions.
- Housing design enables ultra-efficient cooling of the LEDs for maximum performance!
- Unlike other light bars, the EX2 range features a one-piece die-cast housing for improved sealing, heat dispersion, and performance!

Composite Bracket

- Ultra strong and durable, composite brackets are designed with a special blend of glass-filled nylon.
- Composite brackets are lightweight and perform flawlessly under heavy vibration.
- The material is fully protected against rust, corrosion and UV.

IP68 and IP69K Rated Against Water and Dust

- EX2 lights have passed the highest standards for water and dust ingress.
- Not only are the lights submersible but can also withstand pressure washing without any damage!

All these features come with an unprecedented 'NO FAULT' 7 year warranty.

EX2 NUMBER PLATE MOUNTING KIT

Auxiliary driving lights and light bars are not only for 4WDs and vehicles with bullbars. The 10" Single Row Light Bar with number plate mount is suitable for any vehicle and is ideal for anyone wanting extra light output for their everyday drive.

- Fits in under 10 minutes (most vehicles).
- Sits discretely above or below the number plate of any vehicle.
- The kit comes pre-wired, fused and with ring terminals for EXtra easy installation.
- The 10" bar provides 265m at 1 Lux which is an economical way to dramatically improve the high beam performance of any vehicle.

P/No.
72833





The EX2R range retains the output and build quality of the EX2 series. What sets it apart is the addition of ADR/ECE approved front position lights, offering improved safety, visibility, and a distinctive appearance.

These position lights are RGB enabled, allowing them to be changed to various colours when paired with the 12V RGB Bluetooth® Controller - a never before seen feature on the market.

It is important to note, that while on the road, the position lights must be set to the ADR Approved colour (White).

Furthermore, the EX2R range comes with clear lens protectors made from hard coated polycarbonate for enhanced durability.

For added compliance with local regulations, stickers are provided for the lens covers with the EX2R Driving Lights. These stickers cover the main lights while keeping the position lights visible at all times.

72143 **4" EX2R RGB Enabled LED Driving Lamp**

72163 **6" EX2R RGB Enabled LED Driving Lamp**

72173 **7" EX2R RGB Enabled LED Driving Lamp**

72174 **7" EX2R RGB LED Driving Lamp Kit**

72183 **9" EX2R RGB Enabled LED Driving Lamp**

72184 **9" EX2R RGB LED Driving Lamp Kit**

72831 **10" EX2R RGB Enabled LED Single Row Light Bar**

72839 **20" EX2R RGB Enabled LED Single Row Light Bar**

72847 **30" EX2R RGB Enabled LED Single Row Light Bar**

72811 **3" EX2R RGB Enabled LED Pod Light**

72835 **10" EX2R RGB Enabled LED Double Row Light Bar**

72843 **20" EX2R RGB Enabled LED Double Row Light Bar**

72844 **20" EX2R RGB LED Double Row Light Bar Kit**

72851 **30" EX2R RGB Enabled LED Double Row Light Bar**

72852 **30" EX2R RGB LED Double Row Light Bar Kit**

NARVA

EX2

NARVA

EX2

NARVA

EX2



EXPRESS YOURSELF EX2R CUSTOMISATION

The EX2R range provides unprecedented post-purchase customisation options. Customise the trim rings, lens protectors, and even customise the colour of the position lights by using the additional 12V RGB Bluetooth® Controller.

COLOUR TRIMS

Just like the EX2 models, all EX2R models come equipped with two different trim rings (Electric and Slate). Additionally, users can easily obtain extra colours at no extra cost through the Narva website.

The available trims are Electric (Blue), Slate (Grey), Sunburst (Yellow), Juiced (Orange), Hyper (Green), Stealth (Black), Volcano (Red) and Bubblegum (Pink).



LENS PROTECTORS

The EX2R range also features clear lens protectors with black graphics that users can apply to conceal the LEDs, giving their lights a stylish appearance.

Amber covers are available for all driving lights and light bars, and are designed to provide increased visibility in adverse conditions including dust and fog. Additionally, spare black and clear lens protectors are also available.



Not to scale



EX2R RGB BLUETOOTH® CONTROLLER

Every EX2R driving light and light bar is ENABLED with RGB (Red, Green, Blue) technology. With the addition of the 12V RGB Bluetooth® Controller, the front position lights can be changed from ADR Approved white to RGB position lights.

Users can control these lights through their smart device via Bluetooth®, offering a choice of 48 different colours. This feature allows for a truly distinctive and customisable look.

The Narva RGB app allows easy switching between the desired colours and ADR Approved position lights for on-road use. The position lights can even be strobed to provide additional functionality.



P/No. 74426





ADR Approved White Position Light





EX2R DRIVING LIGHT KITS

For the customer who wants everything, the EX2 Range offers complete kits. These kits include a pair of EX2R Driving Lights, two sets of different colour trims, for customisation to suit the users mood, and lens protector graphics.

Importantly, the kits also include the 12V RGB Bluetooth® Controller and provide pre-wired and fused cables for the easiest installation in the range.

The EX2R driving light kits provide the most extensive post-purchase customisation - not just in the wider EX2 range - but also the market as a whole.

Note - RGB position lights are not ADR Approved and strictly for offroad use only.

P/No. 72174 - 7" RGB Kit

P/No. 72184 - 9" RGB Kit



 **EX2R LIGHT BAR KITS**

To compliment the RGB Driving Light Kits, there are 20" Double Row and 30" Double Row RGB Kits. These kits include an EX2R Light Bar, two different colour trims and a clear lens protector. Additionally, these kits come with the 12V RGB Bluetooth® Controller and include an extra cable and fusing for easy installation. With these kits, the user will have everything required to set up and customise their lights.



P/No. 72844 - 20" Double Row RGB Kit
P/No. 72852 - 30" Double Row RGB Kit

NARVA®

EX2



SEE THE COMPLETE EX2
FULL RANGE INFORMATION AT
NARVA.COM.AU

Australian Head Office

Brown & Watson International Pty. Ltd.
1500 Ferntree Gully Rd. Knoxfield Victoria 3180
Phone: (03) 9730 6000 Fax: (03) 9730 6050
National Toll Free: 1800 113 443
info@narva.com.au narva.com.au

New Zealand Head Office

Brown & Watson International NZ Ltd.
19 Bell Ave. Mt Wellington Auckland NZ 1060
Phone: 09 525 4575
info@narva.co.nz narva.co.nz